



A horizontal number line with arrows at both ends and seven tick marks.

|www.37520.com | 10 |

|www.37520.com | 10 |

|www.37520.com | 10 | | | |

|www.37520.com | 10 |

The diagram illustrates a network packet header. It is divided into three main sections. The left section contains the text "114: 8" in blue. The middle section contains the IP address "15.27.39.23.35.21.33.19.31" in red, with the octet "27" highlighted in pink. Below the IP address, there is a row of eight small squares, each containing a number from 0 to 7, followed by an exclamation mark. The right section contains the text ":27" in blue, with the port number "27" highlighted in pink. Below the port number, there is a row of eight small squares, each containing a number from 0 to 7, followed by an exclamation mark.




[illegible]

1

WWW.55978.Com

118 10 09 21 05

ATV

- 117★☆☆★☆☆ 2010-10-07
- 117◆☆☆☆☆☆☆ 2010-10-07
- 117☆☆◆☆☆☆☆ 2010-10-07
- 117◆☆☆◆☆☆☆☆ 2010-10-07
- 117☆☆☆☆☆☆☆☆ 2010-10-07
- 117☆☆☆☆◆☆☆☆☆ 2010-10-07
- 117☆☆☆☆☆☆☆☆☆ 2010-10-07
- 117★☆☆★☆☆☆☆ 2010-10-07
- 117☆☆☆☆☆☆☆☆ 2010-10-07
- 117☆☆☆☆☆☆☆☆ 2010-10-07

```

.1170000000000000005 2010-10-07
.1170000000000000002 2010-10-07
.1170000000000000000 2010-10-07
.1170000000000000004 2010-10-07
.1170000000000000009 2010-10-07
.1170000000000000003 2010-10-07
.1170000000000000008 2010-10-07
.1170000000000000007 2010-10-07
.1170000000000000004 2010-10-07
.1170000000000000005 2010-10-07

```

